# **Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application.

### **Listing of Claims**

#### Claims 1-14. (Cancelled)

- 15. (Currently amended) Method for controlled release of macromolecules from a multi-layer film, comprising the steps of
- (a) selecting a polymer that can be modulated between an electrostatically charged state and an electrostatically uncharged state;
- (b) selecting a macromolecule that bonds electrostatically to the polymer in its electrostatically charged state;
- (c) forming a multi-layer film having sequential alternating layers of the polymer and the macromolecule at a first pH at which the multi-layer film has a charge balance having a value of approximately one, said alternating layers being bonded one to another at least through electrostatic interactions; and
- (d) adjusting the pH of the multi-layer film so as to create a first excess charge of the multi-layer film without destroying said multi-layer film, thereby selectively releasing a controlled first quantity of the macromolecule from the multi-layer film so as to restore the value of the charge balance to a value of approximately one, said first quantity of the macromolecule being substantially proportional to said first excess charge.
- 16. (Currently amended) The method of Claim 15, further comprising the steps of: (e) adjusting the pH of the multi-layer film so as to create a second excess

charge of the multi-layer film having a sign opposite to the sign of the first excess charge of the multi-layer film without destroying said multi-layer film; and (f) contacting the multi-layer film with a solution of containing the macromolecule, whereby the multi-layer film takes up a second quantity of the macromolecule.

### 17. (Withdrawn)

18. (Previously presented) The method of Claim 16, wherein steps (d), (e) and (f) are performed in a sequence, further comprising the step of repeating steps (d), (e) and (f) in said sequence.

# 19. (Withdrawn):

- 20. (Previously presented) The method of Claim 15, wherein the macromolecule is a bioactive agent.
- 21. (New) The method of Claim 15, wherein the alternating layers are bonded one to another through a combination of electrostatic interaction and hydrogen bonding.
- 22. (New) The method of Claim 15, wherein the polymer is a polyacid.

U.S. Patent Application No. 10/624,993 Response to Office Action dated February 22, 2008 Page 4 of 9

- 23. (New) The method of Claim 22, wherein the polyacid is selected from the group consisting of a polycarboxylic acid, a polynucleotide, a polymer of a vinyl nucleic acid, and a polyamino acid.
- 24. (New) The method of Claim 23, wherein the macromolecule is a macromolecule that can self-assemble with the polyacid.
- 25. (New) The method of Claim 15, wherein the polymer is a polybase.
- 26. (New) The method of Claim 25, wherein the polybase is selected from the group consisting of a partially quaternized poly(vinyl pyridine), a poly(imidazole), a polyamine, a quaternized poly(vinyl pyridine), a quaternized poly(imidazole), a poly(dimethyldiallyl) salt, a quaternized poly(diaminoethoxy acrylate), and a poly(diaminoethoxy acrylate).
- 27. (New) The method of Claim 25, wherein the macromolecule is a macromolecule that can self-assemble with the polybase.
- 28. (New) The method of Claim 15, wherein said step (c) includes the steps of forming a layer of the polymer by self-assembly of the polymer, then forming a layer of the macromolecule by self-assembly of the macromolecule on the layer of the polymer.

U.S. Patent Application No. 10/624,993 Response to Office Action dated February 22, 2008 Page 5 of 9

- 29. (New) The method of Claim 15, wherein the multi-layer film includes a layer of the polymer having the macromolecule embedded in the layer.
- 30. (New) The method of Claim 15, wherein the macromolecule is a polymer:
- 31. (New) The method of Claim 15, wherein the macromolecule is a oligomer.